
# Series **Volume**




# Volume Emerald Brillo 6x25

6x25



## Technical Data




Series: VOLUME

Product: Volume Emerald Brillo 6x25

Size: 6x25

Sales group: G.41

Type: White Body stoneware

Type of material: Neutral Body

Slipperness R:

Class: Class 0

UPEC:

Finish: GLOSSY


| Size | Product type | Pcs/Box | M2/Box | Kg/Box | Boxes/Pallet | M2/Pallet | Kg/Pallet |
|---|---|---|---|---|---|---|---|
| 6x25 | Field Tile | 32 | 0,480 | 8,500 | 120,000 | 57,600 | 1020,000 |

Please note: the contents of this packaging list are for guidance only, the contents of the packaging may vary. Please consult our sales staff for the exact list

The results shown are for guidance only. This document does not constitute a contractual agreement. To place orders or enquire about product availability, please contact the company.

## Technical Data

## Volume Emerald Brillo 6x25



Family: **White Body stoneware GLOSSY**

Absortion Group: **BIb**

Size: **6x25**

Worz Size (mm): **250 x 60 x 8,2**

### PHYSICAL CHARACTERISTICS

| CHARACTERISTICS | STANDARD | VALUE |
|---|---|---|
| Dimensional tolerances and surface appearance . | UNE-EN-ISO 10545-2 | Complies with the standar |
| Water Absortion | UNE-EN-ISO 10545-3 | 0,5% < E ? 3% |
| Breaking strenght (N) | UNE-EN-ISO 10545-4 | >1100 |
| Flexural tensile strengthn (N/mm2) | UNE-EN-ISO 10545-4 | >=30 |
| Resistance to abrasion (PEI) | UNE-EN-ISO 10545-7 | |
| Thermal shock resistance | UNE-EN-ISO 10545-9 | Complies with the standar |
| Cracking resistance | UNE-EN-ISO 10545-11 | Complies with the standar |
| Frost resistance | UNE-EN-ISO 10545-12 | Complies with the standar |
| Scratch hardness according to Mohs | UNE-EN-ISO 67101 | |
| Slipperness resistance \| Pendulum | UNE-EN 16165:2022 anexo C | Clase 0 |
| Slipperness resistance \| Inclined platform | UNE-EN 16165:2022 anexo B | |
| Slipperness resistance \| Barefoot areas | UNE-EN 16165:2022 anexo A | |
| Reaction to fire | UNE-EN-ISO 13501-1 | A1 - A1 FL |
| DCOF | DCOF | |

Please note: the contents of this packaging list are for guidance only, the contents of the packaging may vary. Please consult our sales staff for the exact list

The results shown are for guidance only. This document does not constitute a contractual agreement. To place orders or enquire about product availability, please contact the company.

## CHEMICAL CHARACTERISTICS

| CHARACTERISTICS | STANDARD | VALUE |
|---|---|---|
| Resistance to staining | UNE-EN-ISO 10545-14 | Complies with the standars |
| Resistrance to chemicals and pool treatment products | UNE-EN-ISO 10545-13 | Complies with the standars |
| Resistance to High concentration acids and bases | UNE-EN-ISO 10545-13 | MIN HB |
| Resistance to Low concentration acids and bases | UNE-EN-ISO 10545-13 | MIN LB |

Please note: the contents of this packaging list are for guidance only, the contents of the packaging may vary. Please consult our sales staff for the exact list

The results shown are for guidance only. This document does not constitute a contractual agreement. To place orders or enquire about product availability, please contact the company.